

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S128	12	matthew near englehart.in.	US-PGPUB; USPAT	OR	ON	2008/05/28 09:14
S129	12	peter near szpak.in.	US-PGPUB; USPAT	OR	ON	2008/05/28 09:14
S130	160	mathworks.as.	US-PGPUB; USPAT	OR	ON	2008/05/28 09:14
S131	16	S130 and (graphic\$4 and interface and parameter).clm.	US-PGPUB; USPAT	OR	ON	2008/05/28 09:14
S132	100	("5708828" "4924378" "5748877" "5892510" "5946278" "4477874" "4506330" "5295059" "5297247" "5499318" "5576981" "5577239" "5680537" "5740427" "5938766" "5950192" "5969283" "6016400" "6023565" "6065021" "6069563" "6118938" "6121964" "6192368" "6211909" "6211909" "6232539" "6292830" "6453329" "6466973" "20020188928" "20030074235" "20040078236" "20050091255" "20050195678" "20050203950" "20050262271" "5590331" "6038565" "6067524" "6199070" "6246994" "4268950" "4272303" "4277827" "4290184" "4294001" "4315451" "4336647" "4342099").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S133	500	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S134	719	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14

S135	721	S133 or S134 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S136	454	S135 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S137	243	S136 and (source adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S138	281	S136 and (code near (generat\$4 or develop\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S139	220	S138 and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S140	2	S137 and (storage adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S141	218	S139 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S142	173	S141 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S143	129355	"graphical user interface" or gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S144	146	S143 and parameter and "storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S145	146	S144 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14

S146	13	("4695833" "5432903" "5485601" "5495567" "5603034" "5664180" "5668966" "5696975" "5760788" "5923885" "5946693" "5966532" "5974256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/28 09:14
S147	123	S145 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S148	2	"5732277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S149	2	"6366300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S150	44	parameter with (pragma or "non-portable directive")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S151	26	S150 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S152	154	(pragma or directive) with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S153	66	S152 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S154	11	(US-20030074235-\$ or US-20040255269-\$ or US-20040230945-\$ or US-20040111696-\$ or US-20020010908-\$).did. or (US-5892510-\$ or US-6701513-\$ or US-6684385-\$ or US-6421822-\$ or US-6053951-\$ or US-5481712-\$ or US-5187788-\$ or US-5966532-\$ or US-5933642-\$).did.	US-PGPUB; USPAT	OR	ON	2008/05/28 09:14

S155	1	S154 and (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S156	110	(header adj file) with (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S157	68	S156 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S158	60	S157 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S159	1032	(pragma or directive) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S160	219	S159 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S161	2	S154 and (header adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S162	24	"non-displayed" with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S163	224	(header adj file) same (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S164	2	S160 and parmeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S165	261	pragma with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14

S166	13	S165 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S167	874	parameter with (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S168	289	S167 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S169	132	S168 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S170	0	"non-portable directive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S171	86	S169 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S172	24	(non-displayed or "not display") with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S173	3773	(non-displayed or hidden or phantom) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S174	418	S173 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S175	47	S174 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S176	101	pragma near directive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14

S177	97	S176 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S178	80	S177 and (data with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S179	58	S178 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S180	120	S174 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S181	99	S180 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S182	67	S177 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S183	70	S176 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S184	20	pragma with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S185	60	S153 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S186	248	(S133 or S134) and @pd>="20070305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:14
S187	2	S130 and (storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 09:23

S188	10	("20020174417" "20030016206" "20040031015" "5978581" "6023578" "6199195" "6212672" "6321374" "6609130" "6651240").PN. OR ("7367012").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/28 09:24
S189	3	"custom storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:14
S190	11	tlc near file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 14:08
S191	20	(custom near instruction) near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 14:17
S192	501	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 10:19
S193	731	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 10:19
S194	165	(S192 or S193) and @pd>="20070813"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 10:19
S195	107	S194 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 10:19

5/ 29/ 2008 11:17:08 AM

C:\Documents and Settings\qchen\My Documents\EAST\Workspaces\doctet\ 10698820.wsp